

## Final Exam, Topics in TCS 2016

- You are only allowed to have a handwritten A4 page written on both sides.
- Communication, calculators, cell phones, computers, etc... are not allowed.
- Your explanations should be clear, well motivated, and proofs should be complete.
- The solutions to the questions of the exam are rather short. If you end up writing a solution requiring a lot of pages then there is probably an easier solution.
- **Do not touch until the start of the exam.**

Good luck!

Name: \_\_\_\_\_

N° Sciper: \_\_\_\_\_

Problem 1	Problem 2	Problem 3	Problem 4
/ 25 points	/ 25 points	/ 25 points	/ 25 points

<b>Total / 100</b>

1 (25 pts) **Basics.** In this problem, you should answer whether the following 10 statements are true or false.

- We have a proof that  $\mathbf{BPP} \subseteq \mathbf{NP}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{BPP} \subseteq \mathbf{BQP}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{BPP} \subseteq \mathbf{P}/\mathbf{poly}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{NP} \subseteq \mathbf{BQP}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{P}/\mathbf{poly} \subseteq \mathbf{NP}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{IP} \subseteq \mathbf{EXP}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{PH} \subseteq \mathbf{PSPACE}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{PCP}(O(1), \text{poly}(n)) = \mathbf{P}$ . True or False? \_\_\_\_\_
- We have a proof that  $\mathbf{PCP}(\log n, O(1)) = \mathbf{NP}$ . True or False? \_\_\_\_\_
- If  $\mathbf{NP} \neq \mathbf{coNP}$ , then  $\mathbf{P}^{\mathbf{NP}} \neq \mathbf{NP}$ . True or False? \_\_\_\_\_

The correction is as follows: 10 correct answers give 25 points, 9 correct answers give 22 points, 8 correct answers give 17 points, 7 correct answers give 10 points, 6 correct answers give 5 points, 5 or less correct answers give 0 points.

- 2 (25 pts) **The Polynomial Hierarchy.** Show that if  $\mathbf{PH} = \mathbf{PSPACE}$  then the polynomial hierarchy collapses to some level.

In this problem you are allowed (if you wish) to use the following statement proved in class: for every  $i \geq 1$ , if  $\Sigma_i^p = \Pi_i^p$  then  $\mathbf{PH} = \Sigma_i^p$ . All other statements should be proved.

(*Hint:* use the fact that  $\mathbf{PSPACE}$  has complete languages.)

**Solution:**

**3** (25 pts) **Circuits.** Prove the following statement:

Let  $\epsilon > 0$  and  $d(n) = (1 - \epsilon) \cdot n$ . Then for  $n$  large enough there exists an  $n$ -ary function  $f : \{0, 1\}^n \rightarrow \{0, 1\}$  not computable by circuits of depth at most  $d(n)$ .

In this problem, we only allow gates of fan-in 2 (or 1 if it is a NOT gate).

(*Hint:* recall that most functions  $f$  require circuits of large size. In particular, you are allowed to use the statement proved in class about the circuit size of most functions.)

**Solution:**

- 4 (25 pts) **Hardness and PCPs.** Recall that in the Vertex Cover problem, you are given a graph  $G = (V, E)$ , and the goal is to find the minimum subset  $S \subseteq V$  of vertices such that each edge  $e \in E$  has at least one endpoint in  $S$ . We saw in problem set IV that, using Håstad's 3-bit PCP verifier, we can prove that it is NP-hard to approximate the Vertex Cover problem within a factor of  $7/6 - \epsilon$  for any  $\epsilon > 0$ . In particular, Håstad's PCP verifier queries 3 bits of the proof and checks whether a certain predicate is satisfied, while having a completeness of  $1 - \epsilon$  and soundness  $1/2 + \epsilon$ .

In this problem, you are asked to prove that it is NP-hard to approximate vertex cover within  $2 - \epsilon$  for any  $\epsilon > 0$ , *assuming*<sup>1</sup> the following PCP verifier  $\tilde{V}$  exists for SAT:

For every  $\epsilon > 0$ , there exists a large enough **constant**  $k$  such that  $\tilde{V}$  uses  $O(\log n)$  random bits to compute  $k$  positions in the proof  $\pi$ , say  $i_1, \dots, i_k$ , and accepts iff  $C(\pi(i_1), \dots, \pi(i_k)) = 1$ , where  $C$  is a fixed predicate of the verifier  $\tilde{V}$  that has exactly **two satisfying assignments**. Formally,  $C$  is a predicate  $C : \{0, 1\}^k \mapsto \{0, 1\}$  such that there exist only **two** partial assignments  $z_1, z_2 \in \{0, 1\}^k$  (out of the  $2^k$  possible ones) such that  $C(z_1) = C(z_2) = 1$  and  $C(z) = 0$  for all  $z \in \{0, 1\}^k \setminus \{z_1, z_2\}$ . The verifier  $\tilde{V}$  has completeness  $1 - \epsilon$  and soundness  $\epsilon$ . In other words:

- if  $\varphi$  is a satisfiable SAT instance then there is a proof  $\pi$  that makes the verifier accept with probability at least  $1 - \epsilon$ .
- if  $\varphi$  is not a satisfiable SAT instance then for any proof  $\pi$ , the verifier accepts with probability at most  $\epsilon$ .

Your task in this problem is to use the above described verifier  $\tilde{V}$  to prove that it is NP-hard to approximate Vertex Cover within a factor of  $2 - \epsilon$ , for any  $\epsilon > 0$ .

**Solution:**

---

<sup>1</sup>This verifier is only known to exist under a stronger complexity theoretic assumption, known as the Unique Games Conjecture.

